FS-6700-7	(11	199
-----------	-----	-----

						FS-6/00-7 (11/99)		
U.S. Department of Agr	iculture Forest	1. WORK PROJECT/ACTIVITY	CV 11000E00 00E	2. LOCATION		3. UNIT		
·		Crosscut Saw Operation under 12-S				NF's in FL		
	JOB HAZARD ANALYSIS (JHA) 4. NAME OF ANALYST			5. JOB TITLE		6. DATE PREPARED		
References-FSH 6709.11		Megan Eno		FNST Partnership Co		07-30-2013		
7. TASKS/PROC	8.HAZARD		Engineering Co	9. ABATEMENT ACTIO ontrols * Substitution * Admir				
Training	Mandatory	Successful completion of th						
Requirements	ividitation					per must have specific on-site		
1						any restrictions or limitations placed		
Certification and		on them in certification. • Cro	osscut operators may on	ly exceed the restrictions	or limitations placed	on their certification if they are under		
Instructor Limits						purposes of training, additional		
		_	-	within the safety radius (	21/2 times the height	of the tree being felled) if under		
	~ -	supervision of a qualified inst						
Personal	Cuts, Eye					hirt, Boots - should provide support		
Protective	Injuries	to the ankle, be of heavy duty, cut resistant material (such as leather) and have non-skid soles. Eye Protection• An ax and adequate						
Equipment		wedges are deemed safety equipment that must be available for all saw operations.						
Crosscut Saw	Cuts	• Crosscut saws have only one operator who is entirely repsonsible for sawing even when a helper, or second sawyer, is used.• Saws						
General Crosscut Saw		<ul><li>must have good working hand</li><li>Saws must be properly main</li></ul>		n carriaghla gandition				
Transportation					emoved if moving thr	ough thick vegetation to prevent		
Transportation		• Ensure that saw is sheathed in when being transported. • Handles should be removed if moving through thick vegetation to prevent snagging.						
Size-up	Prevention		condition of tree (rot, sp	olits, loose bark etc.) and	the best direction to l	be felled. Be aware of other trees		
	of injury	leaning into the tree being fel	led.• Be aware of snags	in the area. • Do not cut d	luring shifting, high, o	or gusty wind conditions.		
	through					ulders.• Before cutting, determine		
	scene size-	your primary and secondary escape routes to a predetermined safe area. • Prepare your escape route by cutting all tripping hazards.•						
	up	Keep proper spacing between operators (atleast 2 1/2 tree lengths)• If the identified tree can not be safely removed and presents a hazard,						
E-11' D	D - 1'1	the area will be flagged off at				F-11		
Felling Process	Bodily injury or					perations.• Follow proper felling		
	death	procedures as outlined in MTDC crosscut course.• Initiate undercut at a level that ensures adequate footing and balance throughout cutting sequence.• Prior to starting the back cut, survey surrounding to make sure no one has entered the area within 2 1/2 tree lengths.						
	death	A warning should be sounded as to your intended action (i.e. "tree coming down, side hill").• At the first sign of the tree committing to						
		the undercut, proceed to safety zone. No felling operations will be conducted at night or when the top of the tree is obscurred.						
	Bodily	-			<u> </u>	and limbs with a series of small cuts		
Bucking/Limbing	Injury or					g from the downhill side •Do not		
	cut	buck on steep slopes with peo	•					
Fatigue and Heat	Heat	• Set a pace appropriate for the weather conditions.• Take frequent short breaks if necessary.• Stay alert at all times and watch your step.•						
Stress						physical condition.• Observe team		
		members for signs of dehydra			****			
				• Refer to the FNST General Trail Maintenance JHA for hazards and mitigation for environmental hazards, hiking and working in the backcountry, and also communication and emergency response				
		Response (ERP)		orking in the backcountry	, and also communica	<u> </u>		
10. LINE OFFICER SIGNATURE		11. TITLE			12. DATE			
/s/Susan Jeheber-Matthews			Forest Supervisor	<b>r</b>		8-5-13		
Previous edition is obsolete			(00/	er)				

JHA Instructions (References-FSH 6709.11 and .12)

The JHA shall identify the location of the work project or activity, the name of employee(s) involved in the process, the date(s) of acknowledgment, and the name of the appropriate line officer approving the JHA. The line officer acknowledges that employees have read and understand the contents, have received the required training, and are qualified to perform the work project or activity.

Blocks 1, 2, 3, 4, 5, and 6: Self-explanatory.

Block 7: Identify all tasks and procedures associated with the work project or activity that have potential to cause injury or illness to personnel and damage to property or material. Include emergency evacuation procedures (EEP).

Block 8: Identify all known or suspect hazards associated with each respective task/procedure listed in block 7. For example:

- a. Research past accidents/incidents.
- b. Research the Health and Safety Code, FSH 6709.11 or other appropriate literature.
- c. Discuss the work project/activity with participants.
- d. Observe the work project/activity.
- e. A combination of the above.

Block 9: Identify appropriate actions to reduce or eliminate the hazards identified in block 8. Abatement measures listed below are in the order of the preferred abatement method:

- a. Engineering Controls (the most desirable method of abatement). For example, ergonomically designed tools, equipment, and furniture.
- b. Substitution. For example, switching to high flash point, non-toxic solvents. Work Leader
- c. Administrative Controls. For example, limiting exposure by reducing the work schedule; establishing appropriate procedures and practices.
- d. PPE (least desirable method of abatement). For example, using hearing protection when working with or close to portable machines (chain saws, rock drills, and portable water pumps).
- e. A combination of the above.

Block 10: The JHA must be reviewed and approved by a line officer. Attach a copy of the JHA as justification for purchase orders when procuring PPE.

Blocks 11 and 12: Self-explanatory.

Emergency Evacuation Instructions (Reference FSH 6709.11)

Work supervisors and crew members are responsible for developing and discussing field emergency evacuation procedures (EEP) and alternatives in the event a person(s) becomes seriously ill or injured at the worksite.

Be prepared to provide the following information:

- a. Nature of the accident or injury (avoid using victim's name).
- b. Type of assistance needed, if any (ground, air, or water evacuation).
- c. Location of accident or injury, best access route into the worksite (road name/number), identifiable ground/air landmarks.
- d. Radio frequencies.
- e. Contact person.
- f. Local hazards to ground vehicles or aviation.
- g. Weather conditions (wind speed & direction, visibility, temperature).
- h. Topography.
- i. Number of individuals to be transported.
- j. Estimated weight of individuals for air/water evacuation.

The items listed above serve only as guidelines for the development of emergency evacuation procedures.

## JHA and Emergency Evacuation Procedures Acknowledgment

We, the undersigned work leader and crew members, acknowledge participation in the development of this JHA (as applicable) and accompanying emergency evacuation procedures. We have thoroughly discussed and understand the provisions of each of these documents:

SIGNATURE	DATE		SIGNATURE	DATE	
		_			
		_			
		-			
		-			